



✓ Complete product range ✓ Family business ✓ In-house product engineering

New product line



Your dealer:



HIGH PRESSURE WASHER COLDWATER MOBILE

G-Jet

Working pressure

150 Bar

Flow

8 l/m

Capacity

2,5 kW

Product advantages

- ◆ Axial pump with brass pumphead
- ◆ Manometer
- ◆ Integrated hose reel
- ◆ Total stop
- ◆ Detergent tank 1.2 liter
- ◆ Built-in accessory holder



Specifications	Model Article number	G-Jet 202265000
Working pressure	bar	150
Flow	l/m	8
Capacity	kW	2,5
Weight	Kg	23,4
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	1-230-50
Measurements (lwxhx)	cm	35x33x84
Driving speed	rpm	2800
Electric cable	Meter	5

Standard accessories

- ◆ 8 meter hp-hose
- ◆ Hp-gun
- ◆ Adjustable spray lance

Options

- ◆ Floor cleaner 378922000



Cleaning with advantage

Bobby

Working pressure

160 Bar

Flow

9 l/m

Capacity

2,9 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons
- ◆ Total stop
- ◆ Manometer
- ◆ Pressure regulator
- ◆ Detergent injector



Specifications	Model	Bobby 160/9
	Article number	202267000
Working pressure	bar	160
Flow	l/m	9
Capacity	kW	2,9
Weight	Kg	18,4
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	1-230-50
Measurements (lxwxh)	cm	46x46x81
Driving speed	rpm	2800
Electric cable	meter	5

Standard accessories

- ◆ 8 meter hp-hose
- ◆ Hp-gun
- ◆ Adjustable spray lance

Options

- ◆ Mobile chassis 204461000
- ◆ Hose reel set for mobile chassis + 15 meter hose 204462000
- ◆ Stationary frame 204464000
- ◆ Stationary frame + 15 meter hose 204463000



Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

G-Power

Working pressure

150 Bar

Flow

9 l/m

Capacity

2,8 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons
- ◆ Pressure regulator
- ◆ Manometer
- ◆ Detergent tank 3 liter
- ◆ Electric motor with thermal protection
- ◆ Total stop



Specifications	Model	G-Power 150/9
	Article number	274794000
Working pressure	bar	150
Flow	l/m	9
Capacity	kW	2,8
Weight	Kg	40
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	1-230-50
Measurements (lxwxh)	cm	49x40x93
Driving speed	rpm	2800
Electric cable	meter	5,5

Standard accessories

- ◆ 8 meter hp-hose
- ◆ Hp-gun
- ◆ Adjustable spray lance

Options

- ◆ Floorcleaner 378922000



Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Atomax

Working pressure

130–250 Bar

Flow

10–15 l/m

Capacity

3,2–8,1 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons
- ◆ Total stop with delay
- ◆ Foldable clamp for compact transport
- ◆ Manometer
- ◆ Pressure regulator
- ◆ Electric motor with thermal protection
- ◆ Brackets for hanging up accessories
- ◆ Easy maintenance due to detachable cover and oil tap system



Specifications	Model	Atomax 130/10	Atomax 190/15	Atomax 250/15
	Article number	274795000	274796000	274809000
Working pressure	bar	130	190	250
Flow	l/m	10	15	15
Capacity	kW	3,2	5,1	8,1
Weight	Kg	47	52	85
Water supply -temperature	max. °C	50	50	50
Power supply	Ph-V-Hz	1-230-50	3-400-50	3-400-50
Measurements (lxwxh)	cm	75x42x82	75x42x82	84x48x82
Driving speed	rpm	1400	1400	1400
Electric cable	meter	5	5	5

Standard accessories

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Options

- ◆ Hose reel set 370441000



Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Buggy

Compact

Working pressure

200 Bar

Flow

15 l/m

Capacity

5,5 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons, stainless steel valves
- ◆ Total stop with delay
- ◆ Manometer
- ◆ Pressure regulator
- ◆ Electric motor with thermal protection
- ◆ Stainless steel cover



Specifications	Model Article number	Compact 200/15 202269000
Working pressure	bar	200
Flow	l/m	15
Capacity	kW	5,5
Weight	Kg	-
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	3-400-50
Measurements (lxwxh)	cm	-
Driving speed	rpm	1400
Electric cable	meter	-

Standard accessories

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Options

- ◆ Rotating nozzle
- ◆ Plug

Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Buggy

Werking pressure	Flow	Capacity
150-200 Bar	15-21 l/m	5,5 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons, stainless steel valves
- ◆ Total stop with delay
- ◆ Manometer
- ◆ Pressure regulator
- ◆ Quadripole electric motor suitable for permanent load
- ◆ Stainless steel cover
- ◆ Detergent injector
- ◆ Flexible coupling between pump and motor for longer working life



Specifications	Model	Buggy 200/15	Buggy 150/21
	Article number	202272000	202273000
Working pressure	bar	200	150
Flow	l/m	15	21
Capacity	kW	5,5	5,5
Weight	Kg	80	80
Water supply	max. °C	50	50
Power supply	Ph-V-Hz/A	3-400-50	3-400-50
Measurements (lxwxh)	cm	-	-
Driving speed	rpm	1400	1400
Electric cable	meter	5	5

Standard accessories

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Options

- ◆ Rotating nozzle
- ◆ Plug
- ◆ Hose reel set 301673000
- ◆ Hotwater kit (max. 80°C water supply temperature)



Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Buggy

Working pressure

150-200 Bar

Flow

15-30 l/m

Capacity

5,5-11 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons, stainless steel valves
- ◆ Total stop with delay
- ◆ Manometer
- ◆ Pressure regulator
- ◆ Quadripole electric motor suitable for permanent load
- ◆ Stainless steel cover
- ◆ Detergent injector
- ◆ Flexible coupling between pump and motor for longer working life



Specifications

	Model	Buggy 200/21	Buggy 200/30
	Article number	202276000	202278000
Working pressure	bar	200	200
Flow	l/m	21	30
Capacity	kW	7,5	11
Weight	Kg	100	110
Water supply	max. °C	50	50
Power supply	Ph-V-Hz/A	3-400-50	3-400-50
Measurements (lxwxh)	cm	115x65x85	115x65x85
Driving speed	rpm	1400	1400
Electric cable	meter	5	5

Standard accessories

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Options

- ◆ Rotating nozzle
- ◆ plug
- ◆ Hose reel set 301674000
- ◆ Hotwater kit (max 80°C water supply temperature)



Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER STATIONARY UNIT

Caddy

Automatic

Compact

Workin pressure

Flow

Capacity

150-200 Bar

15-21 l/m

5,5 kW

Product advantages

- ◆ Stationary high pressure washer suitable for wall or floor installation
- ◆ Radial piston pump, brass pumphead, ceramic pistons, stainless steel valves
- ◆ Manometer
- ◆ Pressure regulator
- ◆ Automatic pressure regulation system, with closed gun the pump is unpressurized
- ◆ Mechanical temperature protection
- ◆ Automatic start/stop with free-wheeling phase
- ◆ Flexible coupling between pump and motor for longer working life



Specifications

	Model	CA 150/21	CA 200/15
	Article number	202252000	202253000
Working pressure	bar	150	200
Flow	l/m	21	15
Capacity	kW	6,25	5,5
Weight	Kg	65	65
Water supply	max. °C	50	50
Power supply	Ph-V-Hz/A	3-400-50	3-400-50
Measurements (lxwxh)	cm	68x51x67	68x51x67
Driving speed	rpm	1400	1400
Electric cable	meter	5	5

Standard accessories

- ◆ Mounting plate for wall and floor installation

Options

- ◆ Plug
- ◆ Hp-hose
- ◆ Hp-gun
- ◆ Spray lance



Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Aquabar

HC

180/9

Working pressure

Flow

Capacity

180 Bar

9 l/m

5 Hp

Product advantages

- ◆ Honda petrol engine
- ◆ Axial pump
- ◆ Pressure regulator
- ◆ Detergent injector
- ◆ Quick coupling nozzles, for the fast exchange of nozzles
- ◆ Powdercoated steel frame



Specifications

Model **Aquabar HC 180/9**
Article number 274422000

Working pressure	bar	180
Flow	l/m	9
Capacity	Hp	5
Weight	Kg	38
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	n/a
Measurements (lxwxh)	cm	70x55x85
Driving speed	rpm	2800
Electric cable	meter	n//a

Standard accessories

Options

- ◆ 8 meter hp-hose
- ◆ Hp-gung
- ◆ Spray lance
- ◆ 4 nozzles (0° - 15° - 40° - low pressure nozzle)

Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Aquabar

HI

170/11

Working pressure

Flow

Opgenomen vermogen

170 Bar

11 l/m

6,5 Pk

Product advantages

- ◆ Honda petrol engine
- ◆ Radial pump
- ◆ Pressure regulator
- ◆ Detergent injector
- ◆ Quick coupling nozzles, for the fast exchange of nozzles
- ◆ Powdercoated steel frame



Specifications

Model Aquabar HI 170/11
Article number 274421000

Working pressure	bar	170
Flow	l/m	11
Capacity	Hp	6,5
Weight	Kg	42
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	n/a
Measuremens (lxwxh)	cm	70x55x85
Driving speed	rpm	2800
Electric cable	meter	n/a

Standard accessories

Options

- ◆ 8 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance
- ◆ 4 nozzles (0° - 15° - 40° - low pressure nozzle)

Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Aquabar

HI

210/15

Working pressure

Flow

Capacity

210 Bar

15 l/m

13 Hp

Product advantages

- ◆ Honda petrol engine
- ◆ Radial piston pump
- ◆ Pressure regulator
- ◆ Detergent injector
- ◆ Stainless steel frame



Specifications

Model **Aquabar HI 210/15**
Article number 274400000

Working pressure	bar	210
Flow	l/m	15
Capacity	Hp	13
Weight	Kg	74
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	n/a
Measurements (lxwxh)	cm	120x68x65
Driving speed	rpm	2800
Electric cable	meter	n/a

Standard accessories

Options

- ◆ 15 meter hp-hose
- ◆ Hp-gun
- ◆ Double spray lance

Cleaning with advantage



HIGH PRESSURE WASHER COLDWATER MOBILE

Aquabar

HI

240/15

Working pressure

Flow

Capacity

240 Bar

15 l/m

13 Hp

Product advantages

- ◆ Honda petrol engine
- ◆ Radial piston pump
- ◆ Pressure regulator
- ◆ Detergent injector
- ◆ Stainless steel frame
- ◆ Driving by V-belt



Specifications

Model **Aquabar HI 240/15**
Article number 274410000

Working pressure	bar	240
Flow	l/m	15
Capacity	Hp	13
Weight	Kg	97
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	n/a
Measurements (lxwxh)	cm	115x70x70
Driving speed	rpm	1400
Electric cable	meter	n/a

Standard accessories

Options

- ◆ 15 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Cleaning with advantage



HOCHDRUCKREINIGER HEISSWASSER MOBIL

Galax

Working pressure

100-200 Bar

Flow

12-17 l/m

Capacity

3,2-6,4 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons, stainless steel valves
- ◆ Total stop with delay
- ◆ Pressure regulator
- ◆ Detergent tank 22 liter
- ◆ Electric motor with double ball bearing, class S1, suitable for permanent load
- ◆ Fuel tank 25 liter
- ◆ Max. water temperature 140°C
- ◆ Anti-calcification dosing systems with 2,3 liter tank



Specification	Model Article number	Galax 100/12	Galax 180/14	Galax 200/17
		274882000	274817000	274818000
Working pressure	bar	100	180	200
Flow	l/m	12	14	17
Capacity	kW	3,2	5	6,4
Weight	Kg	112	120	140
Water supply temperature	max. °C	50	50	50
Power supply	Ph-V-Hz	1-230-50	3-400-50	3-400-50
Measurements (lxwxh)	cm	110x70x90	110x70x90	110x70x90
Driving speed	rpm	1400	1400	1400
Electric cable	meter	5	5	5

Standard accessories

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Options

- ◆ Anti-calcification liquid 5 liter 301577000
- ◆ Anti-calcification liquid 10 liter 301578000
- ◆ Hose reel set Galax 370442000
- ◆ plug



Cleaning with advantage



HIGH PRESSURE WASHER HOTWATER MOBILE

Syncron

200/21

Working pressure

Flow

Capacity

200 Bar

21 l/m

8,5 kW

Product advantages

- ◆ Radial piston pump, brass pumphead, ceramic pistons, stainless steel valves
- ◆ Total stop with delay
- ◆ Pressure regulator
- ◆ Detergent tank 22 liter
- ◆ Electric motor with double ball bearing, class S1, suitable for permanent load
- ◆ Fuel tank 25 liter
- ◆ Max. water temperature 140°C
- ◆ Anti-calcification dosing system with 2 liter tank



Specifications

Model Syncron 200/21
Article number 274883000

Working pressure	bar	200
Flow	l/m	21
Capacity	kW	8,5
Weight	Kg	174
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	3-400-50
Measurements (lxwxh)	cm	110x70x90
Driving speed	rpm	1400
Electric cable	meter	5

Standard accessories

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Options

- ◆ Anti-calcification liquid 5 liter 301577000
- ◆ Anti-calcification liquid 10 liter 301578000
- ◆ Hose reel set Syncron 370443000
- ◆ Plug



Cleaning with advantage



HIGH PRESSURE WASHER HOTWATER MOBILE

Ecron

Working pressure

170 Bar

Flow

12 l/m

Capacity

28,4 kW

Product advantages

- ◆ Electric heating high pressure washer
- ◆ No exhaust gases
- ◆ Running-dry-protection
- ◆ Total stop with delay
- ◆ Detergent tank 22 liter
- ◆ Anti-limescale dosing system with 25 liter tank
- ◆ Equipped with special wheels which leave no traces on the floor
- ◆ Max. water temperature of 70°C (at a working pressure of approx. 60 bar)



Specifications

Model **Ecron 170/12**
Article number **274793000**

Working pressure	bar	170
Flow	l/m	12
Capacity	kW	28,4
Weight	Kg	-
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	3-400-50
Measurements (lxwxh)	cm	110x70x90
Driving speed	rpm	1400
Electric cable	meter	5

Standard accessories

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Options

- ◆ Anti-calcification liquid 5 liter 301577000
- ◆ Anti-calcification liquid 10 liter 301578000
- ◆ Hose reel set Ecron 370443000
- ◆ Plug



Cleaning with advantage



HIGH PRESSURE WASHER HOTWATER MOBILE

Ohio

200/15

Working pressure

Flow

Capacity

200 Bar

15 l/m

11 HP

Product advantages

- ◆ Yanmar Diesel engine
- ◆ Radial piston pump
- ◆ Robust steel frame with lifting eye
- ◆ With closed hp-gun machine runs on low driving speed
- ◆ Elektric start/stop
- ◆ 2 big wheels, 2 swivel roller and 4 Vibration absorbers
- ◆ 12 volt battery



Specifications	Model Article number	Ohio 200/15 274797000
Working pressure	bar	200
Flow	l/m	15
Capacity	HP	11
Weight	Kg	230
Water supply temperature	max. °C	50
Power supply	Ph-V-Hz	n/a
Measurements (lxwxh)	cm	120x80x95
Driving speed	rpm	1400
Electric cable	meter	n/a

Standard accessories

Options

- ◆ 10 meter hp-hose
- ◆ Hp-gun
- ◆ Spray lance

Cleaning with advantage



DUST- AND WATER VACUUM CLEANERS

Atlantis

SW315

Silent

Vacuum

Airflow

Capacity

2180 mm H₂O

205 m³/hour

1,5 kW

Product advantages

- ◆ Equipped with bactericidal filter
- ◆ Compact dust- and water vacuum cleaner with polypropylene-kettle
- ◆ Extremely silent
- ◆ Shock-absorbing edge at the bottom side of the kettle, for extra protection
- ◆ Very comprehensive accessories set
- ◆ Excellent suction power



Specifications	Model	Atlantis SW315
	Article number	287054000
Vacuum	mm H ₂ O	2180
Airflow	m ³ /hour	205
Kettle capacity	Liter	27
Weight	Kg	11
Power supply	Ph-V-Hz	1-230-50
Measurements (lxwxh)	cm	120x80x95
Electric cable	meter	8,5

Standard accessories

Options

- ◆ 6-part suction set



DUST- AND WATER VACUUM CLEANERS

Atlantis

SW429

B2

Vacuum

Airflow

Capacity

2880 mm H₂O

360 m³/hour

2 x 1,2 kW

Product advantages

- ◆ Very agile due to 2 fix and 2 swivel rollers
- ◆ Dust- and water vacuum-cleaner with polypropylene kettle
- ◆ Tilttable kettle for very easy disposal of water and dirt
- ◆ Shock-absorbing edge at the bottom side of the kettle, for extra protection
- ◆ Very comprehensive accessories set
- ◆ Equipped with 2 pagode motors for excellent suction power



Specifications	Model	Atlantis SW429
	Article number	287014000
Vacuum	mm H ₂ O	2880
Airflow	m ³ /hour	360
Kettle capacity	Liter	72
Weight	Kg	21
Power supply	Ph-V-Hz	1-230-50
Measurements (lxwxh)	cm	120x80x95
Electric cable	meter	8,5

Standard accessories

Options

- ◆ 6-part suction set



SWEEPERS

Jet

TKM

Capacity

Working width

Dirt collecting tray

1500 m²/hour

670 mm

30 Liter

Product advantages

- ◆ Walk-behind manual sweeper
- ◆ Big dirt collecting tray
- ◆ Extra collecting tray for bigger dirt
- ◆ Adjustable hand gear
- ◆ Easy to transport
- ◆ Chassis made of steel, collecting tray made of polyurethane



Specifications

	Model	Jet TKM
	Article number	850030000
Capacity	m ² /hour	1500
Working width	Mm	670
Collecting tray	Liter	30
Weight	Kg	25
Measurements (lxwxh)	cm	95x85x97

Standard accessories

Options



SCRUBBER DRYERS

Jet

CT

Capacity

Working width

Water tank

1670 m²/hour 350-450 mm 15-28 liter

Product advantages

- ◆ Very compact scrubber dryer
- ◆ Automatic start/stop of brush and liquid
- ◆ Adjustable hand gear for difficult to reach regions
- ◆ Battery level indicator
- ◆ Brushes and suction rubbers are easy to replace
- ◆ Easy to fill and to empty
- ◆ Continuous brush pressure on the floor for optimal cleaning result
- ◆ Low noise level



Specifications	Model	CT15	CT30
	Article number	850008000	850010000
Capacity	m ² /hour	1300	1670
Working width	Mm	350	450
Clean water tank	Liter	15	28
Sewage tank	Liter	19	30
Weight	Kg	36	48
Measurements (lxwxh)	cm	95x45x120	96x55x122

Standard accessories

Options

- ◆ Nylon brush